



## Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 12

Pure Light Cream Lightener

Revision: 31.10.2018  
printing date: 31.10.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Pure Light Cream Lightener

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Bleaching

#### 1.3. Details of the supplier of the safety data sheet

Natura Laboratorios, S.A. de C.V.

Guadalajara, Jalisco. Mexico.

Pedro Martinez Rivas #746

44250 Zapopan, Jalisco. Mexico.

Phone: (+52) 38-36-38-50

#### 1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP):

Oxidizing solids	Category 3
May intensify fire; oxidizer.	
Corrosive to metals	Category 1
May be corrosive to metals.	
Acute toxicity	Category 4
Harmful if swallowed.	
Skin corrosion	Category 1A
Causes severe skin burns and eye damage.	
Respiratory sensitizer	Category 1
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin sensitizer	Category 1
May cause an allergic skin reaction.	
Specific target organ toxicity - single exposure	Category 3
May cause respiratory irritation.	

**2.2. Label elements (CLP)****Hazard pictogram:****Signal word:**

Danger

**Hazard statement:**

H272 May intensify fire; oxidizer.  
 H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage  
 H332 Harmful if inhaled  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H335 May cause respiratory irritation.

**Precautionary statement:**

P210 Keep away from heat/open flames/hot surfaces. - No smoking.

**Prevention**

P221 Take any precaution to avoid mixing with combustibles.  
 P260 Do not breathe dusts or mists.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P284 [In case of inadequate ventilation] wear respiratory protection.

**Precautionary statement:  
Response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304+P340+P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.  
 P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**SECTION 3: Composition/information on ingredients****3.1. Substances****3.2. Mixtures****Hazardous substances according to CLP (EC) No 1272/2008:**

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Ammonium Persulfate 7727-54-0	231-786-5	01-2119495973-19	>= 10- < 20 %	H302 Acute toxicity 4; Oral H319 Serious eye irritation 2 H335

				Specific target organ toxicity - single exposure 3 H315 Skin irritation 2 H334 Respiratory sensitizer 1 H317 Skin sensitizer 1 H272 Oxidizing solids 3
Potassium Persulfate 7727-21-1	231-781-8	01-2119495676-19	>= 20- < 40 %	H272 Oxidizing solids 3 H335 Specific target organ toxicity - single exposure 3 H315 Skin irritation 2 H334 Respiratory sensitizer 1 H317 Skin sensitizer 1 H302 Acute toxicity 4; Oral H319 Serious eye irritation 2
Sodium Metasilicate 6834-92-0	229-912-9	01-2119449811-37	>= 15- < 30 %	H314 Skin corrosion 1B H290 Corrosive to metals 1 H335 Specific target organ toxicity - single exposure 3

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information:**

In case of adverse health effects seek medical advice.

Remove casualty immediately from danger zone. Take off immediately all contaminated clothing.

**Inhalation:**

Move to fresh air, consult doctor if complaint persists.

**Skin contact:**

Rinse immediately with plenty of running water (for 10 minutes). Remove all contaminated clothing and apply bandage.

Seek medical advice.

**Eye contact:**

Immediately flush eyes with water (for 10 minutes), put on a bandage with sterile gauze, see an oculist.

**Ingestion:**

Rinse the mouth. Drink plenty of water. Immediate medical advice necessary.

## SECTION 5: Firefighting measures

**5.1. Extinguishing media**

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

**5.2. Special hazards arising from the substance or mixture**

**The release of following substances is possible in case of fire:**

Nitrous gases

Carbon dioxide

Generation of oxygen

Sulphur oxides

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus.

Wear protective equipment.

**Additional information:**

The product intensifies fire.

Remove product from danger zone.

Extend fire extinguishing measures to the surroundings.

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations.

Collect contaminated fire-fighting water separately. It must not enter drains.

In case of fire, keep containers cool with water spray.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective equipment.

Avoid contact with skin and eyes.

Depending on workplace dust concentration, wear dust filter mask with particle filter P1, P2 or P3.

**6.2. Environmental precautions**

Do not empty into drains/surface water/ground water.

Inform authorities in the event of product spillage to water courses or sewage systems.

**6.3. Methods and material for containment and cleaning up**

Remove mechanically.

Avoid dust formation.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Handling advice:

Ensure good ventilation/suction at the workplace.

Avoid skin and eye contact.

Keep dust formation and -deposit to a minimum.

Avoid dust formation, vacuum.

Fire and explosion protection information:

Avoid the formation and build-up of dust - danger of dust explosion.

Keep away from combustible material.

## Hygiene measures:

- Do not eat, drink or smoke while working.
- Immediately remove soiled or soaked clothing.
- Wash hands before work breaks and after finishing work.
- Keep away from food, beverages and animal feed.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in sealed original container protected against moisture.  
Store far from foodstuffs.

**7.3. Specific end use(s)**

Bleaching

**SECTION 8: Exposure controls/personal protection****Only relevant for professional/industrial use****8.1. Control parameters**

Valid for  
Germany

Ingredient [Regulated substance]	ppm	mg/m <sup>3</sup>	Value type	Short term exposure limit category / Remarks	Remarks
Paraffinum Liquidum / Mineral Oil / Huile Minérale 8042-47-5			Short Term Exposure Classification:	Category II: substances with a resorptive effect.	TRGS 900
Paraffinum Liquidum / Mineral Oil / Huile Minérale 8042-47-5		5	Exposure limit(s):	4 If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900
Silica 7631-86-9		4	Exposure limit(s):	If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900

**8.2. Exposure controls**

## Engineering controls:

Ensure good ventilation/suction at the workplace.

## Respiratory protection:

- Suitable breathing mask when there is inadequate ventilation.
- Dust mask, P2 particle filter.

## Hand protection:

Protective gloves from natural India rubber are to be worn when handling the product. The product is a dry powder, a penetration of the intact glove is not expected even during longer periods of wearing. It is possible though that when wearing the gloves for several hours uncomfortable sensations can occur caused by body heat and humidity.

## Eye protection:

Protective goggles

## Skin protection:

Suitable protective clothing

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture:

Appearance	Viscous Cream White
Odor	Characteristic
pH (20 °C (68 °F))	9,50 - 10,00
Initial boiling point	Not applicable
Flash point	Not applicable
Decomposition temperature	Not applicable
Vapour pressure	Not applicable
Density (20 °C (68 °F))	Not applicable
Bulk density	Not applicable
Viscosity	500000 - 800000
Viscosity (kinematic)	Not applicable
Explosive properties	Not applicable
Solubility (qualitative) (20 °C (68 °F); Solvent: Water)	Not available
Solidification temperature	Not applicable
Melting point	Not applicable
Flammability	Not applicable
Auto-ignition temperature	Not applicable
Explosive limits	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Evaporation rate	Not applicable
Vapor density	Not applicable
Oxidising properties	Not applicable
Container pressure	Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Accelerators.  
Contaminants (e.g. rust, dust, ash).  
Combustible materials.  
Reaction with heavy metals.  
Reaction with strong acids.  
Reaction with strong bases

### 10.2. Chemical stability

None known.

### 10.3. Possibility of hazardous reactions

See section reactivity  
None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### General toxicological information:

The present product is a chemical preparation within the meaning of the chemicals act. The following evaluation has been made on the basis of the toxicological data and content by weight of the individual ingredients.

### 11.1. Information on toxicological effects

#### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Ammonium Persulfate 7727-54-0	LD50	495 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

#### Acute dermal toxicity:

No data available.

Hazardous substances CAS-No.	Value type	Value	Species	Method
sodium metasilicate 6834-92-0	LD50	> 5.000 mg/kg	rat	EPA OPPTS 870.1200 (Acute Dermal Toxicity)
Ammonium Persulfate 7727-54-0	LD50	> 2.000 mg/kg	rat	EPA OPP 81-2 (Acute Dermal Toxicity)

#### Acute inhalative toxicity:

Hazardous substances CAS-No.	Value type	Value	Test atmosphere	Exposure time	Species	Method
Ammonium Persulfate 7727-54-0	Acute toxicity estimate (ATE)	5,1 mg/l	aerosol			Expert judgement
Ammonium Persulfate 7727-54-0	LC0	2,95 mg/l		4 h	rat	OECD Guideline 403 (Acute Inhalation Toxicity)

#### Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
sodium metasilicate 6834-92-0	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Ammonium Persulfate 7727-54-0	Category 2 (irritant)	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

#### Serious eye damage/irritation:

Primary eye irritation: irritating

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Ammonium Persulfate 7727-54-0	slightly irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
sodium metasilicate 6834-92-0	not sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Ammonium Persulfate 7727-54-0	sensitising	Freund's complete adjuvant test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
sodium metasilicate 6834-92-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
sodium metasilicate 6834-92-0	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
sodium metasilicate 6834-92-0	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Ammonium Persulfate 7727-54-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified

**Carcinogenicity**

No data available

**Reproductive toxicity:**

No data available

**STOT-single exposure:**

No data available.

**STOT-repeated exposure::**

No data available.

**Aspiration hazard:**

No data available.

## SECTION 12: Ecological information

### General ecological information:

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

### 12.1. Toxicity

#### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Potassium Persulfate 7727-21-1	LC50	771 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
sodium metasilicate 6834-92-0	LC50	210 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	not specified
Ammonium Persulfate 7727-54-0	LC50	76,3 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)

#### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Potassium Persulfate 7727-21-1	EC50	133 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
sodium metasilicate 6834-92-0	EC50	1.700 mg/l	48 h	Daphnia magna	not specified
Ammonium Persulfate 7727-54-0	EC50	120 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

#### Chronic toxicity to aquatic invertebrates

No data available

#### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium metasilicate 6834-92-0	EC0	36 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
sodium metasilicate 6834-92-0	EC50	213 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
Ammonium Persulfate 7727-54-0	EC50	> 33 mg/l	96 h	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
Ammonium Persulfate 7727-54-0	EC10	33 mg/l	96 h	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)

**Toxicity to microorganisms**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Potassium Persulfate 7727-21-1	EC 50	116 mg/l			OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
sodium metasilicate 6834-92-0	EC0	1.000 mg/l	30 min		not specified
Ammonium Persulfate 7727-54-0	EC10	36 mg/l	18 h		not specified

**12.2. Persistence and degradability**

No data available.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

Hazardous substances CAS-No.	LogPow	Temperature	Method
N/A	N/A	N/A	N/A

**12.5. Results of PBT and vPvB assessment**

Hazardous substances CAS-No.	PBT / vPvB
Potassium Persulfate 7727-21-1	Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria
sodium metasilicate 6834-92-0	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Ammonium Persulfate 7727-54-0	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

**12.6. Other adverse effects**

No data available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product disposal:

Consider national regulations.

Special waste incineration or special disposal with the approval of the responsible local authority.

<b>SECTION 14: Transport information</b>
--

**14.1. UN number**

ADR	3085
RID	3085
ADN	3085
IMDG	3085
IATA	3085

**14.2. UN proper shipping name**

ADR	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate,Sodium metasilicate)
RID	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate,Sodium metasilicate)
ADN	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate,Sodium metasilicate)
IMDG	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate,Sodium metasilicate)
IATA	Oxidizing solid, corrosive, n.o.s. (Potassium persulfate,Sodium metasilicate)

**14.3. Transport hazard class(es)**

ADR	5.1 (8)
RID	5.1 (8)
ADN	5.1 (8)
IMDG	5.1 (8)
IATA	5.1 (8)

**14.4. Packing group**

ADR	III
RID	III
ADN	III
IMDG	III
IATA	III

**14.5. Environmental hazards**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.6. Special precautions for user**

ADR	not applicable Tunnelcode: (E)
RID	not applicable
ADN	not applicable
IMDG	IMDG-Code: Segregation group 16- Peroxides; Segregation group 18- Alkalis
IATA	not applicable

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

---

**SECTION 15: Regulatory information**

---

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations/information (Germany):

WGK:	2, water-endangering product. (German VwVwS of May 17, 1999) Classification in conformity with the calculation method
Storage class according to TRGS 510:	10

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

---

**SECTION 16: Other information**

---

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H272 May intensify fire; oxidizer.  
H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Further information:**

This information is not related to the use of the product, it is based on our current level of knowledge.