

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**1 Identification**

- **Product identifier**
- **Trade name: SILKLIFT CONTROL ASH**
- **Article number:** Art. No. 201153 - 500g
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Kao USA Inc.  
Linthicum Heights,  
MD 21090 / USA  
info@kao.com
- **Information department:** CHEMTREC
- **Emergency telephone number:** CHEMTREC: +1 703 527-3887 (24h)

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

This product is defined as cosmetic. Therefore, this product is exempted from requirements of the hazard communication standard, 29 CFR1910.1200

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 1  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = \*2  
Fire = 1  
Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: SILKLIFT CONTROL ASH**

(Contd. of page 1)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7727-21-1	dipotassium peroxodisulphate	25-50%
68855-54-9	Kieselguhr, soda ash flux-calcined	25-40%
7727-54-0	diammonium peroxodisulphate	≤10%
6834-92-0	disodium metasilicate	5-<10%
64-02-8	tetrasodium ethylenediaminetetraacetate	1-≤2.5%
13463-67-7	titanium dioxide	1-≤2.5%
7783-28-0	diammonium hydrogenorthophosphate	1-1.5%
	Fragrance	0.2-0.7%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**  
Forward this sheet to the doctor.  
Treat symptomatically.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
Risk of formation of toxic pyrolysis products.  
Sulphur dioxide (SO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: SILKLIFT CONTROL ASH

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**  
Protect from heat/overheating.  
Keep in a cool place.  
Store in a dry place.  
Protect from light.  
Keep out of reach of children.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

#### Components with limit values that require monitoring at the workplace:

##### 7727-21-1 dipotassium peroxodisulphate (25-50%)

TLV	Long-term value: 0.1 mg/m <sup>3</sup> as Persulfates
-----	--

##### 7727-54-0 diammonium peroxodisulphate (≤10%)

TLV	Long-term value: 0.1 mg/m <sup>3</sup> as Persulfates
-----	--

##### 9005-25-8 Starch (2.5-<10%)

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
-----	---

REL	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
-----	---

TLV	Long-term value: 10 mg/m <sup>3</sup>
-----	---------------------------------------

##### 13463-67-7 titanium dioxide (1-≤2.5%)

PEL	Long-term value: 15* mg/m <sup>3</sup> *total dust
-----	---

(Contd. on page 4)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: SILKLIFT CONTROL ASH**

(Contd. of page 3)

REL	See Pocket Guide App. A
TLV	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Solid material

Color:

According to product specification

· **Odor:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not applicable.

· **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

Undetermined.

· **Flash point:**

Not applicable.

· **Flammability (solid, gaseous):**

Contact with combustible material may cause fire.

· **Ignition temperature:**

Decomposition temperature:

Not determined.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: SILKLIFT CONTROL ASH

(Contd. of page 4)

· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not applicable.
· <b>Density at 20 °C (68 °F):</b>	0.985 g/cm <sup>3</sup> (8.22 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	3000 mPas
<b>Kinematic:</b>	Not applicable.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	99.7 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No dangerous reactions known if used as directed.
- **Chemical stability** The product is stable under standard conditions.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Avoid heat.  
Avoid direct sunlight.  
Avoid temperature excursions.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 7727-21-1 dipotassium peroxodisulphate

Oral | LD50 | 802 mg/kg (rat)

### 7727-54-0 diammonium peroxodisulphate

Oral | LD50 | 820 mg/kg (rat)

### 6834-92-0 disodium metasilicate

Oral | LD50 | 1280 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: SILKLIFT CONTROL ASH**

(Contd. of page 5)

- **Sensitization:**

Sensitization possible through inhalation.  
Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	2B
7631-86-9	silicon dioxide, chemically prepared	3
	Isopropyl Alcohol	3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**

- **DOT, ADR, ADN, IMDG, IATA**

NO DANGEROUS GOOD

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: SILKLIFT CONTROL ASH

(Contd. of page 6)

· <b>UN proper shipping name</b> · DOT, ADR, ADN, IMDG, IATA	NO DANGEROUS GOOD
· <b>Transport hazard class(es)</b> · DOT, ADR, ADN, IMDG, IATA · <b>Class</b>	NO DANGEROUS GOOD
· <b>Packing group</b> · DOT, ADR, IMDG, IATA	NO DANGEROUS GOOD
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	-

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· <b>Section 355 (extremely hazardous substances):</b>
--

None of the ingredients is listed.
------------------------------------

· <b>Section 313 (Specific toxic chemical listings):</b>
--

Isopropyl Alcohol
-------------------

· <b>TSCA (Toxic Substances Control Act):</b>
---

7727-21-1	dipotassium peroxodisulphate
68855-54-9	Kieselguhr, soda ash flux-calcined
7727-54-0	diammonium peroxodisulphate
6834-92-0	disodium metasilicate
8009-03-8	Petrolatum
9005-25-8	Starch
64-02-8	tetrasodium ethylenediaminetetraacetate
13463-67-7	titanium dioxide
7631-86-9	silicon dioxide, chemically prepared
7783-28-0	diammonium hydrogenorthophosphate
497-19-8	sodium carbonate
12125-02-9	ammonium chloride
127-09-3	sodium acetate
7647-14-5	sodium chloride
	Isopropyl Alcohol

· <b>Proposition 65</b>
-------------------------

· <b>Chemicals known to cause cancer:</b>
---

13463-67-7	titanium dioxide
------------	------------------

· <b>Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients is listed.
------------------------------------

· <b>Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients is listed.
------------------------------------

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: SILKLIFT CONTROL ASH**

(Contd. of page 7)

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**· TLV (Threshold Limit Value established by ACGIH)**

9005-25-8	Starch	A4
13463-67-7	titanium dioxide	A4
	Isopropyl Alcohol	A4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	titanium dioxide
------------	------------------

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**


GHS05 GHS07 GHS08

**· Signal word** Danger

**· Hazard-determining components of labeling:**

dipotassium peroxodisulphate  
 disodium metasilicate  
 diammonium peroxodisulphate  
 tetrasodium ethylenediaminetetraacetate

**· Hazard statements**

Harmful if swallowed.  
 Causes severe skin burns and eye damage.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 May cause an allergic skin reaction.  
 May cause respiratory irritation.

**· Precautionary statements**

Do not breathe dusts or mists.  
 Wear respiratory protection.  
 Wear protective gloves / eye protection / face protection.  
 Wear protective gloves.  
 Wear eye protection / face protection.  
 Wash thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Use only outdoors or in a well-ventilated area.  
 Contaminated work clothing must not be allowed out of the workplace.  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a poison center/doctor.  
 Specific treatment (see on this label).  
 If experiencing respiratory symptoms: Call a poison center/doctor.  
 If swallowed: Call a poison center/doctor if you feel unwell.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 Wash contaminated clothing before reuse.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 Store locked up.

(Contd. on page 9)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: SILKLIFT CONTROL ASH**

(Contd. of page 8)

Store in a well-ventilated place. Keep container tightly closed.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.  
 · **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Regulatory Affairs - EURL
- **Contact:** CHEMTREC: (+1 703 527-3887 (24h))
- **Date of preparation / last revision** 05/29/2015 / -
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMIS: Hazardous Materials Identification System (USA)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - Acute Tox. 4: Acute toxicity, Hazard Category 4
  - Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
  - Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
  - Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1
  - Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
  - STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
- **\* Data compared to the previous version altered.**

US