

Issuing Date No data available

Revision Date 21-Aug-2019

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name	Roux Fanci Full Rinse #41 True Steel
Bulk Number	4590074006
Brand	Revlon Professional
Category	Hair

Other means of identification

Physical state	Liquid
-----------------------	--------

UPC Code(s)	xxxx
Synonyms	None

Recommended use of the chemical and restrictions on use

Recommended Use	No information available
------------------------	--------------------------

Restrictions on use	This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.
----------------------------	--

Uses advised against	No information available
-----------------------------	--------------------------

Details of the supplier of the safety data sheet

Supplier Name	Revlon
----------------------	--------

Supplier Address	2121 Route 27, Edison, NJ 08818
-------------------------	---------------------------------

Supplier Phone Number	(732) 287-1400
------------------------------	----------------

Supplier Information	Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400
-----------------------------	---

Emergency telephone number

Chemical Emergency Phone Number	703-527-3887
Company Emergency Phone Number	Chemtrec 1-800-424-9300
Emergency Telephone Number	Medical Emergencies: 303-739-1110

Emergency Telephone Number	Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)
-----------------------------------	--

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Corrosive to Metals	Category 1

GHS Label elements, including precautionary statements

Emergency Overview		
Signal word	Warning	
Hazard statements Harmful if inhaled May be corrosive to metals		
		
Appearance	No information available	Physical state Liquid
		Odor No information available

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Other information

Causes mild skin irritation

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight-%	Trade Secret
Hexylene glycol	107-41-5	<5	-
Dicetyldimonium Chloride	1812-53-9	<1	-

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	No information available.
-------------------------------------	---------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Take precautionary measures against static discharges. See section 8 for more information. Avoid breathing vapors or mists. Avoid breathing dust/fume/gas/mist/vapors/spray.

Environmental precautions

Environmental precautions Local authorities should be advised if significant spillages cannot be contained. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Prevent product from entering drains. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapor or mist. Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with eyes. Refer to Section 8.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexylene glycol 107-41-5	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m ³

Appropriate engineering controls

Engineering Measures Ventilation systems Ensure that eyewash stations and safety showers are close to the workstation location

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection None under normal use conditions. None required for consumer use.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Liquid	Odor	Characteristic
Appearance	Opaque dark gray liquid	Odor Threshold	No information available
Color	Dark gray		
<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	2.5-3.0		
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	> 100 C / 212 F	CC (closed cup)	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Soluble in water		
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	

Other Information

VOC Content (%) No data available

Particle Size No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Specific test data for the substance or mixture is not available.

Inhalation

Specific test data for the substance or mixture is not available.

Eye contact

Specific test data for the substance or mixture is not available.

Skin contact

Specific test data for the substance or mixture is not available.

Ingestion

Specific test data for the substance or mixture is not available.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Hexylene glycol 107-41-5	= 3700 mg/kg (Rat)	= 8560 µL/kg (Rabbit) = 12300 mg/kg (Rabbit)	> 310 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

Contains no ingredient listed as a carcinogen.

Reproductive toxicity

No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system. Eyes. Skin. Central nervous system (CNS).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)
3.88 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Hexylene glycol 107-41-5		96h LC50: = 8690 mg/L (Pimephales promelas) 96h LC50: = 10700 mg/L (Pimephales promelas) 96h LC50: = 10000 mg/L (Lepomis macrochirus) 96h LC50: 10500 - 11000 mg/L (Pimephales promelas)		48h EC50: 2700 - 3700 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Chemical name	Log Pow
Hexylene glycol 107-41-5	0.14

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT

Description Consumer Commodity ORM-D

IATA

Description Consumer Commodity, ID8000

IMDG

Description UN1760, Corrosive Liquid N.O.S. (Stearalkonium Chloride) 8, PG III, Limited Quantity

-

Bulk Description UN1760, Corrosive Liquid N.O.S (Stearalkonium Chloride) 8, PG III

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Water 7732-18-5			X		
Hexylene glycol 107-41-5	X	X	X		
Benzyl alcohol 100-51-6		X	X		

International Regulations

Component	Carcinogen Status	Exposure Limits
Hexylene glycol 107-41-5 (<5)		Mexico: Ceiling 25 ppm

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA	Health hazards 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health hazards 2	Flammability 1	Physical Hazard 0	Personal Protection X

Prepared By	Revlon Research Center, Edison, NJ
Revision Date	21-Aug-2019
Revision Note	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe. Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation. Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

End of Safety Data Sheet