

SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

REVISION DATE: October 29, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Additives – All Shades

Bulk #: Multiple

Product Form: Mixture

Product Names: Crushed Suede Pigment Effect, Ornate Halo Pigment Effect, Plush Velour Pigment Effect, Rose Notion Pigment Effect, Jake Rekindled Pigment Effect, Hummingbird, Dream Lily, Hydrangea Bloom, Nectar Glaze, Silver Ponyfoot, Yellow Pigment, Bright Red Pigment, Black Pigment, Medium Green Pigment, Cerulean Blue Pigment Effect, Haute Pink Pigment Effect, Antique Bronze Pigment Effect, Violet Pearl Pigment Effect, Titanium Pearl Pigment Effect, Pink Gold Sparkle, Green Gold Sparkle, Spectrum Shimmer, Desert Chameleon, Copper Mine, Amethyst Flash, Emerald Mirage, Denim Geode, Sizzling Sand, Tropic Sunrise, Island Heat, Pink Lotus, Midnight Tide, Gold Adorned, Lavishly Rose, Pave Diamonds, Sapphire Hope, Amethyst Blat, Jaded Rebel, Whiteout, Midnight Revelry, Crystal Crush, Lavender Whispers Pigment Effect, Cobalt Clash Pigment Effect, Exhibition Glitter, Twinkle Pink Glitter, Confetti Kiss Glitter

Recommendations on use: Cosmetic Preparation.

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. This is a Professional product for professional use only. Please read the labeling on the package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification:

Eye Irritation, Category 2B
Respiratory Tract Irritation, Category 3
Acute Toxicity -Oral, Category 4

Pictogram:



Signal Word:

Warning

Hazard Statement(s):

H320 Causes eye irritation.
H335 May cause respiratory irritation.
H302 Harmful if swallowed.

Precautionary Statement(s):

P270 Do not eat, drink or smoke when using this product.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Potential Health Effects:

Eye Contact: Causes eye irritation.
Skin Contact: Not expected to cause irritation under normal conditions and use.
Inhalation: At high concentrations nose and throat irritation.
Ingestion: Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

WARNING CAUTION LABELS: **Warning:** Precisely follow directions and SDS (available through your supplier) for use. **Avoid inhalation. Use only in a well-ventilated area.** A ventilation system that expels vapors and dust to the outdoors is recommended. Avoid skin and eye contact. Keep out of reach of children. If redness or other signs of adverse reaction occur, discontinue use immediately and thoroughly rinse affected area. **FOR PROFESSIONAL USE ONLY.**

Hazard Classification:

OSHA (USA): Not hazardous.
HMIS Rating: Health: 1. Flammability: 1. Reactivity: 0.
NFPA Rating: Health: 1. Flammability: 1. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:
MICA	12001-26-2	0 – 99
IRON OXIDES (CI 77491, 77492, 77499)	1309-37-1	0 – 99
TITANIUM DIOXIDE	13463-67-7	0 – 99
ALUMINUM	7429-90-5	0 – 99
SILICA	7631-86-9	0 – 99

4. FIRST AID MEASURES

Eye Contact: Flush eyes immediately with large amounts of water for 15 minutes holding eyelids open to ensure complete flushing. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.

Skin Contact: Remove contaminated clothing and wash affected areas thoroughly with soap and water. Wash all contaminated clothing properly before use. Seek medical attention if redness, swelling, itching, or burning occurs.

Inhalation: If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.

Ingestion: Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms develop.

Notes to Physician: Treat symptomatically.

Most important symptoms/effects, both acute and delayed: No acute or delayed symptoms or effects occur when handling this product.

5. FIRE AND IGNITION INFORMATION

Burn Rate: Not determined.

Extinguishing Media: Water, ABC all purpose extinguisher or CO₂ extinguisher.

Special Protective Actions for Fire-Fighters: Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus.

Specific Hazards Arising from the Chemical: Not Applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.

Methods for Cleaning Up: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves). Maximize ventilation (open doors and windows). Spilled product should be swept or vacuumed up immediately to prevent falls. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove and contaminated clothing and wash thoroughly before reuse.

For spills \geq 1 gallon (3.785 liters), deny entry to all unprotected individuals. Spilled product should be swept or vacuumed up immediately to prevent falls. Transfer to containers for proper disposal. Wash all affected areas and outside of container with plenty of warm water and soap. Remove contaminated clothing and wash thoroughly before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Environmental Precautions: No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Work & Hygiene Practices: Use eye protection when using this product. Wash hands thoroughly after using this product and before eating, drinking, or smoking.

Handling: Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.

Storage: Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product. Exposure limits for the individual ingredients are listed below:

Occupational Exposure Limits (OEL)

CAS No.	Components	mg/m ³	Category	Origin
12001-26-2	Mica	2	TWA (8 h)	OSHA PEL
		3	TWA (10 h)	NIOSH REL (Respirable Dust)
		1500		NIOSH IDLH
1309-37-1	Red Iron Oxide	10	TWA (8 h)	OSHA PEL (Fume)
		5	TWA (8h)	ACGIH TLV
		5	TWA (8h)	NIOSH REL
		5	TWA (8h)	OSHA OEL
12227-89-3	Black Iron Oxide	15	TWA (8 h)	OSHA PEL (Total Dust)

		10	TWA (8 h)	ACGIH TLV (Total Dust)
13463-67-7	Titanium Dioxide	15	TWA (8 h)	OSHA PEL
		10	TWA (8 h)	ACGIH TLV
		5000		NIOSH IDLH
7429-90-5	Aluminum	1	TWA (8 h)	ACGIH TLV
		5	TWA (8 h)	OSHA OEL
		5	TWA (10h)	NIOSH REL
7631-86-9	Silica	2	TWA (8 h)	OSHA PEL
		6	TWA (10 h)	NIOSH REL
		3000		NIOSH IDLH
		10	TWA (8 h)	ACGIH TLV (dust)

IDLH: Immediately Dangerous to Life or Health concentration
 PEL: Permissible Exposure Limit
 OEL: Occupational Exposure Limit
 STEL: Short Term Exposure Limit
 TLV: Threshold Limit Value

TWA: Time Weighted Average
 ACGIH: American Conference of Governmental Industrial Hygienists
 OSHA: Occupational Safety and Health Administration
 NIOSH: National Institute for Occupational Safety and Health
 REL: Recommended Exposure Limit

ENGINEERING CONTROLS

General mechanical ventilation (e.g. local exhaust ventilation, fans) is required for use with this product

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection:

Respirators are not required for use with this product. However, this product is a nuisance dust hazard. Product may cause irritation of the mouth, nose, throat, and lungs. Accordingly, when working with large quantities (> 1 gallon (3.785 liters)) a dust mask is suggested. A respiratory protection program that meets OSHA's 29 CFR §1910.134 and ANSI Z88.2 requirements must be followed whenever a respirator is used. Adequate ventilation required in production areas.

Hand Protection:

None required under normal use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)) wear rubber or impervious plastic gloves. Wear suitable protective gloves in production areas.

Eye Protection:

Safety glasses with side shields should be used when using this product. Eye protection required in production areas. Wear suitable eye/face protection.

Skin and Body Protection:

When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), an apron should be worn and eye wash stations and deluge showers should be available. Wear suitable protective clothing in production areas.

Other protective equipment:

None required under normal use. Skin protection required in production areas and when handling large quantities (e.g. ≥ 1 gallon (3.785 liters)). Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colored Solid
Odor:	None
Odor Threshold:	Not Known
pH:	Not Known

Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	Not Known
Flash Point:	Above 150 ⁰ C (302 ⁰ F).
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	0 % by Volume
Evaporation Rate:	Not Known
Flammability Classification:	Not Classified
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	Not Known
Specific Gravity/Rel. Density:	1.0
Solubility in Water:	Insoluble
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	Not Known
Decomposition temperature:	Not Known
Viscosity:	Not Known

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	None Known.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Causes eye irritation
Skin Corrosion/Irritation:	Not a skin irritant under normal conditions and use
Respiratory or Skin Sensitization:	Not expected to be a skin sensitizer
Acute toxicity:	Not Available
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA

Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity
STOT – Single Exposure:	Not expected to cause organ toxicity
STOT – Repeat Exposure:	Not expected to cause organ toxicity
Aspiration Hazard:	Not an aspiration hazard

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Not hazardous for transport.
Vessel (IMDG): Not hazardous for transport.
Air (IATA): Not hazardous for transport.

FOR BULK SHIPMENT

DOT (Department of Transportation): Not hazardous for transport.
UN Number: Non-regulated
UN Proper Shipping Name: Non-regulated
UN Hazard Class: Non-regulated
UN Packing Group: Non-regulated

IMDG (International Maritime Organization's Dangerous Goods Code):
Use UN classification listed above.

IATA (International Air Transport Association):
Use UN classification listed above.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act) The product is exempt

DSL (Domestic Substance List)

The following are listed: Mica, Iron Oxide, Titanium Dioxide, Aluminum, Chlorophonium, Aluminum Hydroxide

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

- Aluminum

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

- Chromium Hydroxide Green

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

- Chromium Hydroxide Green

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

The following ingredients are present in the finished product and listed on the following inventories and state RTK lists:

Ingredient	CAS #:	TSCA 8(b)	MA RTK	NJ RTK	PA RTK
Mica	12001-26-2	Yes	Yes	Yes	Yes
Red Iron Oxide	1309-37-1	Yes	Yes	Yes	Yes
Titanium Dioxide	13463-67-7	Yes	Yes	Yes	Yes
Aluminum	7429-90-5	Yes	Yes	Yes	Yes
Silica	7631-86-9		Yes	Yes	Yes

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: August 2015
Prepared by: Revlon Research Center

Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

Additional MSDS Information:

Keep out of the reach of children. For external use only.

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.