

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

## 1 Identification

- **Product identifier**
- **Trade name:** KERATINFIXX REPAIR CONDITIONER
- **Product code:** 006657
- **Recommended use and restriction on use**
- **Recommended use:** Hair care.
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
 DIORA PROFESSIONNEL, LLC  
 1037 NW 3RD STREET  
 HALLANDALE BEACH, FLORIDA 33009  
 1-954-628-5163  
 INFO@KERATHERAPY.COM
- **Emergency telephone number:**  
 ChemTel Inc.  
 (800)255-3924 (North America)  
 +1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
 Skin Irrit. 2 H315 Causes skin irritation.  
 Eye Irrit. 2A H319 Causes serious eye irritation.  
 Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**  
 The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.
- **Precautionary statements:**

|                |  |
|----------------|--|
| P261           | Avoid breathing mist, vapors, or spray.  |
| P264           | Wash thoroughly after handling.  |
| P272           | Contaminated work clothing must not be allowed out of the workplace.   |
| P280           | Wear protective gloves and eye protection.   |
| P302+P352      | If on skin: Wash with plenty of water.   |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P333+P313      | If skin irritation or rash occurs: Get medical advice/attention.   |

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

|            |   |      |
|------------|---|------|
| 17301-53-0 | Behentrimonium chloride<br>Eye Dam. 1, H318<br>Skin Irrit. 2, H315  | 1-5% |
| 71750-80-6 | Dimethylsiloxane, polymer, (((3-((2-aminoethyl)amino)propyl)-dimethoxysilyl)oxy)-terminated<br>Skin Irrit. 2, H315; Eye Irrit. 2A, H319 | 1-5% |
| 112-02-7   | Cetrimonium chloride<br>Acute Tox. 3, H311<br>Skin Corr. 1C, H314; Eye Dam. 1, H318<br>Acute Tox. 4, H302                               | <2%  |
| 24938-91-8 | Polyethylene glycol mono(tridecyl) ether<br>Acute Tox. 4, H302  | <2%  |
| 107-41-5   | 2-methylpentane-2,4-diol<br>Skin Irrit. 2, H315; Eye Irrit. 2A, H319<br>Flam. Liq. 4, H227  | <1%  |
| 68606-81-5 | Cassis oil<br>Asp. Tox. 1, H304<br>Acute Tox. 4, H302; Skin Sens. 1, H317<br>Flam. Liq. 4, H227   | <1%  |
| 56-81-5    | Glycerol  | <1%  |
| 70131-69-0 | Silsesquioxanes, phenyl<br>Acute Tox. 2, H330   | <1%  |

· **Additional information:** For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Product is manufactured for topical use. If irritation occurs, discontinue use and wash affected area with soap and water.

Seek medical treatment in case of complaints.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

(Cont'd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 2)

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Causes eye irritation.

Allergic reactions

Nausea in case of ingestion.

May cause gastro-intestinal irritation if ingested.

· **Danger:** Contains Cassis oil. May produce an allergic reaction.

· **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

## 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.

· **For safety reasons unsuitable extinguishing agents:** None.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

· **Environmental precautions** No special measures required.

· **Methods and material for containment and cleaning up**

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· **Handling**

· **Precautions for safe handling:** Keep out of reach of children.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 3)

- Avoid storage near extreme heat.
- Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### 107-41-5 2-methylpentane-2,4-diol

|               |  |
|---------------|--|
| REL (USA)     | Ceiling limit value: 125 mg/m <sup>3</sup> , 25 ppm  |
| TLV (USA)     | Short-term value: 50* 10** ppm<br>Long-term value: 25* ppm<br>*vapor **inh. fraction, aerosol only |
| EL (Canada)   | Ceiling limit value: 25 ppm  |
| EV (Canada)   | Ceiling limit value: 120 mg/m <sup>3</sup> , 25 ppm  |
| LMPE (Mexico) | Ceiling limit value: 25 ppm  |

##### 56-81-5 Glycerol

|               |   |
|---------------|---|
| PEL (USA)     | Long-term value: 15* 5** mg/m <sup>3</sup><br>mist; *total dust **respirable fraction |
| TLV (USA)     | TLV withdrawn-insufficient data human occup. exp.                                     |
| EL (Canada)   | Long-term value: 10* 3** mg/m <sup>3</sup><br>*mist; **mist, respirable               |
| EV (Canada)   | Long-term value: 10 mg/m <sup>3</sup>   |
| LMPE (Mexico) | Long-term value: 10 mg/m <sup>3</sup>   |

### · Exposure controls

#### · General protective and hygienic measures:

- The usual precautionary measures for handling chemicals should be followed.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

#### · Engineering controls: No relevant information available.

#### · Breathing equipment: Not required under normal conditions of use.

#### · Protection of hands:

- Wear protective gloves to handle contents of damaged or leaking units.
- Gloves are advised for repeated or prolonged contact.

#### · Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.

#### · Body protection: Not required under normal conditions of use.

#### · Limitation and supervision of exposure into the environment

- No relevant information available.

#### · Risk management measures No relevant information available.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

Trade name: KERATINFIXX REPAIR CONDITIONER

(Cont'd. of page 4)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · Appearance:

Form: Viscous liquid.

Color: Whitish

· Odor: Fruit-like

· Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): 3.5-4.5

· Melting point/Melting range: Not determined.

· Boiling point/Boiling range: Not determined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits

Lower: Not determined.

Upper: Not determined.

· Oxidizing properties: Non-oxidizing.

· Vapor pressure: Not determined.

#### · Density:

Relative density: 0.90-1.10

Vapor density: Not determined.

Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity

Dynamic: 18000-25000 cPs

Kinematic: Not determined.

· Other information: No relevant information available.

## 10 Stability and reactivity

· **Reactivity:** No relevant information available.

· **Chemical stability:** Stable under normal temperatures and pressures.

· **Thermal decomposition / conditions to be avoided:** Keep away from heat and direct sunlight.

· **Possibility of hazardous reactions** Reacts with strong oxidizing agents.

· **Conditions to avoid** Excessive heat.

· **Incompatible materials** No relevant information available.

· **Hazardous decomposition products**

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 5)

Under fire conditions only:  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds

## 11 Toxicological information

### · Information on toxicological effects

#### · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

**24938-91-8 Polyethylene glycol mono(tridecyl) ether**

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 1350 mg/kg (rat) |
|------|------|------------------|

**70131-69-0 Silsesquioxanes, phenyl**

|        |      |                      |
|--------|------|----------------------|
| Dermal | LD50 | >2001 mg/kg (rabbit) |
|--------|------|----------------------|

|            |         |                  |
|------------|---------|------------------|
| Inhalative | LC50/4h | 0.467 mg/l (rat) |
|------------|---------|------------------|

#### · Primary irritant effect:

· **On the skin:** Based on available data, the classification criteria are not met.

· **On the eye:** Irritating effect.

· **Sensitization:** Contains Cassis oil. May produce an allergic reaction.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### · NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

· **Acute effects (acute toxicity, irritation and corrosivity):** Causes eye irritation.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:** Based on available data, the classification criteria are not met.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

### · Toxicity

#### · Aquatic toxicity

**112-02-7 Cetrimonium chloride**

|      |                        |
|------|------------------------|
| LC50 | 0.59 mg/l (zebra fish) |
|------|------------------------|

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 6)

## 24938-91-8 Polyethylene glycol mono(tridecyl) ether

EC50 | 7.5 mg/kg (Iepomis macrochirus)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Smaller quantities can be disposed of with household waste.  
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |                                     |                |
|-------------------------------------|----------------|
| · <b>UN-Number</b>                  |                |
| · DOT, ADR, IMDG, IATA              | Not regulated. |
| · <b>UN proper shipping name</b>    |                |
| · DOT, ADR, IMDG, IATA              | Not regulated. |
| · <b>Transport hazard class(es)</b> |                |
| · DOT, ADR, IMDG, IATA              |                |
| · <b>Class</b>                      | Not regulated. |
| · <b>Packing group</b>              |                |
| · DOT, ADR, IMDG, IATA              | Not regulated. |
| · <b>Environmental hazards</b>      |                |
| · <b>Marine pollutant:</b>          | No             |

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 7)

· **Special precautions for user** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 21, 2018

Revision: August 21, 2018

**Trade name: KERATINFIXX REPAIR CONDITIONER**

(Cont'd. of page 8)

IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bio-accumulable, Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
Asp. Tox. 1: Aspiration hazard – Category 1

**Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))  
Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)