

DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 1 / 9

SECTION 1: Identification of the substance / preparation and of the company

Product identifier

DS Ultra Volume Detangler
Article number 205570 = 150ml

Relevant identified uses of the substance or mixture and uses advised against

hair treatment

Identified use

Cosmetics

Company

KAO USA Inc.

Linthicum Heights, MD 21090 / USA
Phone 001410-850-7555

Address enquiries to

Emergency phone Company

CHEMTREC: +1 703 527-3887 (24h)

Safety Data Sheet

sdb@chemiebuero.de

SECTION 2: Hazards identification

Emergency Overview

Appearance, Odor:

liquid, colourless, characteristic

OSHA Regulatory Status

This product is defined as Cosmetics. Therefore, this product is exempt from requirements of the hazard communication standard, 29 CFR1910.1200.

Potential health effects

Potential environmental effects

Does not contain any PBT or vPvB substances.

SECTION 3: Composition / Information on ingredients

The product is a mixture.

Range [%]	Substance
25 - 35	Ethanol CAS: 64-17-5
1 - <5	Propan-2-ol CAS: 67-63-0
0,1 - <0,5	Polyquaterium 11 CAS: 53633-54-8

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements and R-phrases: see SECTION 16.

DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 2 / 9

SECTION 4: First aid measures

Description of first aid measures	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
Indication of any immediate medical attention and special treatment needed	Treat symptomatically. Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

Suitable extinguishing media	Alcohol-resistant foam. Dry powder. Carbon dioxide. Water.
Extinguishing media that must not be used	Full water jet.
Special exposure hazards arising from the substance or preparation itself or combustion products	Unknown risk of formation of toxic pyrolysis products.
Special protective equipment for firefighters	Use self-contained breathing apparatus.
Additional information	Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep away from all sources of ignition. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product. Use personal protective equipment (protective gloves, safety glasses, protective clothing).
Environmental precautions	Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
Methods and material for containment and cleaning up	Absorb with non-combustible material like sand. Dispose of absorbed material in accordance within the regulations.

DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 3 / 9

SECTION 7: Handling and storage**Precautions for safe handling**

Provide suitable vacuuming at the processing machines.

Use only in well-ventilated areas.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air.

Take precautionary measures against static discharges.

Ignitable mixtures can be formed in the empty container.

Keep away from all sources of ignition - Refrain from smoking.

Ground/bond container and receiving equipment.

Requirements for storage rooms and vessels

Keep only in original container.

Prevent penetration into the ground.

Provide solvent-resistant and impermeable floor.

Advice on storage compatibility

Do not store together with oxidizing agents.

Further information on storage conditions

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

SECTION 8: Exposure controls / personal protection**Additional advice on system design**

Ensure adequate ventilation on workstation.

Ingredients with occupational exposure limits to be monitored (US)

Range [%]	Substance
25 - 35	Ethanol
	CAS: 64-17-5, EINECS/ELINCS: 200-578-6, EU-INDEX: 603-002-00-5, ECB-Nr.: 01-2119457610-43-XXXX
	Long-term exposure: 1000 ppm, 1900 mg/m ³ , OSHA, NIOSH
1 - <5	Propan-2-ol
	CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, ECB-Nr.: 01-2119457558-25-xxxx
	Long-term exposure: 400 ppm, 980 mg/m ³ , OSHA

Respiratory protection

Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, filter A.

Hand protection

The details concerned are recommendations. Please contact the glove supplier for further information.

butyl rubber, > 120 min (EN 374)

Eye protection

Safety glasses.

Skin protection

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals.

General protective measures

Do not breathe vapour/spray.

Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.

Hygiene measures

Do not eat, drink, smoke or take drugs at work.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Delimitation and monitoring of the environmental exposition

See SECTION 6+7.

SECTION 9: Physical and chemical properties

Form	liquid
Color	colourless
Odor	characteristic
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	> 75
Flash point [°C]	24,5 - 28,5
Lower explosion limit	3,5 Vol.% (Ethanol)
Upper explosion limit	15 Vol.% (Ethanol)
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	~ 0,95 (20 °C / 68,0 °F)
Bulk density [kg/m ³]	not applicable
Solubility in water	miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature	not determined

SECTION 10: Stability and reactivity

Reactivity	No dangerous reactions known if used as directed.
Chemical stability	The product is stable under standard conditions.
Possibility of hazardous reactions	Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting. Uncleaned empty vessels may contain product gases which can form explosive mixtures with air. Reactions with oxidizing agents.
Conditions to avoid	See SECTION 7.2. Strong heating.
Incompatible materials	not determined
Hazardous decomposition products	No hazardous decomposition products known.

DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 5 / 9

SECTION 11: Toxicological information**Information on toxicological effects****Acute toxicity**

Range [%]	Substance
1 - <5	Propan-2-ol, CAS: 67-63-0
	LD50, dermal, Rabbit: 12800-13400 mg/kg.
	LD50, oral, Rat: 5280 mg/kg.
	LC50, inhalative, Rat: 47,5 mg/l (8h).
0,1 - <0,5	Polyquaterium 11, CAS: 53633-54-8
	LD50, oral, Rat: 12800 mg/kg.
25 - 35	Ethanol, CAS: 64-17-5
	LC50, inhalative, Rat: 117-125 mg/l/4h (OECD 403).
	NOAEL, Rat: > 3000 mg/kg/d (24 month OECD 451).
	LD50, dermal, Rabbit: > 2000 mg/kg (OECD 402).
	LD50, oral, Rat: 10470 mg/kg (OECD 401).

Acute oral toxicity not determined**Acute dermal toxicity** not determined**Acute inhalational toxicity** not determined**Serious eye damage/irritation** not determined**Skin corrosion/irritation** not determined**Respiratory or skin sensitisation** not determined**Specific target organ toxicity — single exposure** not determined**Specific target organ toxicity — repeated exposure** not determined**Mutagenicity** not determined**Reproduction toxicity** not determined**Carcinogenicity** not determined**General remarks** No classification on the basis of the calculation procedure of the preparation directive.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

This is a cosmetic product that is safe under intended and reasonable foreseeable use. Taking into account the use instructions, the toxicological profile of the ingredients and the evaluation of the final formulation this product is considered as safe and thus not harming human health.

DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 6 / 9

SECTION 12: Ecological information**Toxicity**

Range [%]	Substance
1 - <5	Propan-2-ol, CAS: 67-63-0
	IC50, (72h), <i>Desmodesmus subspicatus</i> : > 1000 mg/l.
	EC50, (48h), <i>Daphnia magna</i> : 13299 mg/l.
	LC50, (96h), <i>Pimephales promelas</i> : 9640 mg/l.
0,1 - <0,5	Polyquaterium 11, CAS: 53633-54-8
	EC50, (48h), <i>Daphnia magna</i> : 177,1 mg/l.
	LC50, (96h), <i>Oncorhynchus mykiss</i> : 4,47 mg/l.
25 - 35	Ethanol, CAS: 64-17-5
	LC50, (48h), <i>Daphnia magna</i> : 12340 mg/l.
	LC50, (96h), <i>Oncorhynchus mykiss</i> : 13000 mg/l (OECD 203).
	EC50, (48h), <i>Selenastrum capricornutum</i> : 12900 mg/l (OECD 201).
	EC50, (72h), Algae: 275 mg/l (OECD 201).

Fish toxicity	not determined
Daphnia toxicity	not determined
Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Bacteria toxicity	not determined
Biological degradability	not determined
COD	not determined
BOD 5	not determined
AOX-advice	not applicable
2006/11/EC:	not applicable
Other adverse effects	No classification on the basis of the calculation procedure of the preparation directive. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

Product	Coordinate disposal with the authorities if necessary.
Contaminated packaging	Disposal in an incineration plant in accordance with the regulations of the local authorities. Untampered packaging may be taken for recycling.
RCRA Hazard Class (40CFR 261)	Packaging that cannot be cleaned should be disposed of as for product. Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

SECTION 14: Transport information

Transport by land according to ADR/RID

UN 1993 Flammable liquid, n.o.s. (Ethanol, Isopropanol) 3 III

- Classification Code

F1

- Label



- ADR LQ

5 I

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (D/E)

Inland navigation (ADN)

UN 1993 Flammable liquid, n.o.s. (Ethanol, Isopropanol) 3 III

- Classification Code

F1

- Label



Marine transport in accordance with IMDG

UN 1993 Flammable liquid, n.o.s. (Ethanol, Isopropanol) 3 III

- EMS

F-E, S-E

- Label



- IMDG LQ

5 I

Air transport in accordance with IATA

UN 1993 Flammable liquid, n.o.s. (Ethanol, Isopropanol-mixture) 3 III

- Label



DOT Road Shipment Information (49 CFR)

UN/NA 1993 Flammable liquid, n.o.s. (Ethanol, Isopropanol) 3 III

- Label



DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 8 / 9

SECTION 15: Regulatory information**US Regulations****National regulations**

29 CFR 1910.1200, ANSI Z400.1-2010, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

This product does not contain any ingredients regulated under this list.

- SARA, 311

This product does not contain any ingredients regulated under this list.

- SARA, 313

This product contain one ingredient regulated under this list.

- CA Proposition 65

not determinated.

- TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

American Conference of Governmental Industrial Hygienists - ACGIH

Ingredients not listed as carcinogens.

International Agency for Research on Cancer IARC

Ingredients not listed as carcinogens.

National Toxicology Program - NTP

Not Determinated.

HAP-VOC**Transport-regulations**

DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).

Other Right to Know Laws**EC Regulations**

1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

Hazard pictograms**Signal word**

WARNING

Hazard statements

H226 Flammable liquid and vapour.

Labelling

The product is classified and required to be labelled in accordance with EC-Directives

Hazard symbols

none

R-phrases

R 10: Flammable.

S-phrases**Special labelling**

none

SECTION 16: Other information**Observe employment restrictions for people**

yes

Customs Tariff

not determined

648/2004/CE

not applicable

HMIS Ratings

HEALTH	1	1 - Slight Hazard
FLAMMABILITY	3	3 - Severe Hazard
REACTIVITY	1	1 - Slight Hazard
PERSONAL PROTECTION	B	B - Safety Glasses and Gloves

NFPA Ratings

TOP, FLAMMABILITY: 3 - Severe Hazard

LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 1 - Slight Hazard

BOTTOM, SPECIAL NOTICE: FLL - Flammable Liquid

Modified position

none

Safety Data Sheet (SDS) conforms to ANSI Z400.1/Z129.1-2010 (29 CFR 1910) (US)

DS Ultra Volume Detangler

Article number 205570 = 150ml

KAO USA Inc.

Linthicum Heights, MD 21090

Date printed 02.04.2013, Revision 12.02.2013

Version 01

Page 9 / 9

Key / Legende:

ACGIH = American Conference of Governmental Industrial Hygienists; CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DOT = Department of Transportation; EINCES = European Inventory of Existing Commercial Chemical Substances; EPA = Environmental Protection Agency; IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit; TSCA = Toxic Substances Control Act

Copyright: Chemiebüro®